

PolyOne Geon™ Vinyl Flexible XV3870 Polyvinyl Chloride, Flexible (PVC, Flexible)

Category : Polymer , Thermoplastic , Vinyl (PVC)

Material Notes:

All ingredients used in the formulation of this compound are listed in the United States FDA Code of Federal Regulations, Title 21. The only restriction is that the plasticizer is For foods of high water content only. This statement is only an overview of the FDA listings for this product. It is the customer's responsibility to ensure that the compound is suitable for its intended application. Information provided by PolyOne

Order this product through the following link:

http://www.lookpolymers.com/polymer_PolyOne-Geon-Vinyl-Flexible-XV3870-Polyvinyl-Chloride-Flexible-PVC-Flexible.php

Physical Properties	Metric	English	Comments
Specific Gravity	1.25 g/cc	1.25 g/cc	ASTM D792

Mechanical Properties	Metric	English	Comments
Hardness, Shore A	85	85	10 sec; ASTM D2240
Tensile Strength at Break	21.1 MPa	3060 psi	Type IV, 510 mm/min; ASTM D638
Tensile Strength	11.6 MPa @Strain 100 %	1680 psi @Strain 100 %	Type IV, 510 mm/min; ASTM D638
Elongation at Break	410 %	410 %	Type IV, 510 mm/min; ASTM D638

Descriptive Properties	Value	Comments
Agency Ratings	FDA Unspecified Rating	
Appearance	Clear/Transparent	
Features	High Flow Radiation (Gamma) Resistant	
Forms	Pellets	
Generic Material	PVC, Flexible	
Generic Name	Polyvinyl Chloride, Flexible (PVC, Flexible)	
Processing Method	Extrusion	
Regional Availability	Africa & Middle East Asia Pacific	

Descriptive Properties	Europe Value	Comments
	North America	
	South America	
Uses	Hose	
	Medical Appliances	
	Tubing	

Contact Songhan Plastic Technology Co.,Ltd.

Website : www.lookpolymers.com

Email : sales@lookpolymers.com

Tel : +86 021-51131842

Mobile : +86 13061808058

Skype : lookpolymers

Address : United North Road 215,Fengxian District, Shanghai City,China