

PolyOne Maxxam™ MAXBATCH YT-818.G001-1000 Polyethylene, High Density (HDPE)

Category: Polymer, Thermoplastic, Polyethylene (PE), HDPE

Material Notes:

PolyOne's Maxxam™ family of polypropylene- and polyethylene-based products covers a wide range of applications, markets and performance requirements. Standard grades are compounded with calcium carbonate, glass and talc to provide a desired balance of properties including stiffness, durability, impact resistance and heat resistance. Custom grades are available with features such as UV stabilizers, heat stabilizers, custom color, high impact, etc.MAXBATCH PRODUCTInformation provided by PolyOne

Order this product through the following link:

http://www.lookpolymers.com/polymer_PolyOne-Maxxam-MAXBATCH-YT-818G001-1000-Polyethylene-High-Density-HDPE.php

Physical Properties	Metric	English	Comments
Specific Gravity	1.75 g/cc	1.75 g/cc	ASTM D792

Descriptive Properties	Value	Comments
Appearance	Natural Color	
Features	General Purpose	
Filler / Reinforcement	Talc Filler	
	Unspecified FillerReinfor., 70% Filler by Weight	
Forms	Pellets	
Generic Material	HDPE	
Generic Name	Polyethylene, High Density (HDPE)	
Processing Method	Injection Molding	
Regional Availability	Africa & Middle East	
	Asia Pacific	
	Europe	
	North America	
	South America	
Uses	Automotive Applications	
	Construction Applications	
	Consumer Applications	



Descriptive Properties	Caperal Purpose Value	Comments
	Industrial Applications	

Contact Songhan Plastic Technology Co.,Ltd.

Website: www.lookpolymers.com Email: sales@lookpolymers.com

Tel: +86 021-51131842 Mobile: +86 13061808058

Skype: lookpolymers

Address: United North Road 215, Fengxian District, Shanghai City, China