

Polyram BondyRam® 1001 Maleic Anhydride modified Homo-polypropylene coupling agent

Category : Other Engineering Material , Additive/Filler for Polymer , Polymer , Thermoplastic , Polypropylene (PP)

Material Notes:

Maleic Anhydride modified Homo-polypropylene recommended for coupling of glass and other fillers in polypropylene composites. Information provided by Polyram Ram On Ind.

Order this product through the following link:

http://www.lookpolymers.com/polymer_Polyram-BondyRam-1001-Maleic-Anhydride-modified-Homo-polypropylene-coupling-agent.php

Physical Properties	Metric	English	Comments
Density	0.910 g/cc	0.0329 lb/in ³	ASTM D-792
Melt Flow	100 g/10 min @Load 2.16 kg, Temperature 190 °C	100 g/10 min @Load 4.76 lb, Temperature 374 °F	ASTM D-1238

Thermal Properties	Metric	English	Comments
Melting Point	160 °C	320 °F	DSC

Descriptive Properties	Value	Comments
Maleic Anhydride Level	1	By FTIR

Contact Songhan Plastic Technology Co.,Ltd.

Website : www.lookpolymers.com

Email : sales@lookpolymers.com

Tel : +86 021-51131842

Mobile : +86 13061808058

Skype : lookpolymers

Address : United North Road 215, Fengxian District, Shanghai City, China