

Saint-Gobain Chemfab® 14 Porous PTFE-Coated Glass

Category: Ceramic, Glass, Glass Fiber

Material Notes:

Description: Chemfab® Porous Series products are lightweight, highly porous materials commonly used as a release (non-stick) layer for composite curing, molding, and other processes that "off-gas." All data based on a 0.011 inch test sample. Information provided by Saint Gobain Performance Products.

Order this product through the following link:

http://www.lookpolymers.com/polymer_Saint-Gobain-Chemfab-14-Porous-PTFE-Coated-Glass.php

Physical Properties	Metric	English	Comments
Density	1.20 g/cc	0.0434 lb/in³	

Mechanical Properties	Metric	English	Comments
Tear Strength Test	275	275	Lbs./In. Propagation Tear Strength in fill/transverse direction
	325	325	Lbs./In. for warp/longitudinal Propagation Tear Strength
Tear Strength	30.7 kN/m	175 pli	Tensile Strength (Fill)
	39.4 kN/m	225 pli	Tensile Strength (Warp)

Descriptive Properties	Value	Comments
Weight (oz/yd^2)	9.9	

Contact Songhan Plastic Technology Co.,Ltd.

Website: www.lookpolymers.com Email: sales@lookpolymers.com

Tel: +86 021-51131842 Mobile: +86 13061808058

Skype: lookpolymers

Address: United North Road 215, Fengxian District, Shanghai City, China