

Saint-Gobain Tygon® LP 1100 Low Permeation Fuel Tubing

Category : Polymer , Thermoplastic

Material Notes:

Tygon® LP1100 Low Permeation Fuel Tubing is designed to meet new emission standards. Applications Lawn and garden power equipment Lubricating oil and grease transfer lines Small engine fuel lines Product Features EPA and CARB certified to meet permeation emission standards of 15g/M2/day Fluoropolymer liner compatible with higher ethanol blend gasoline up to 100% Robust multi-layer design and construction Resistant to swelling, hardening and cracking caused by hydrocarbon-based fluids Highly flexible, easy-to-install and offers excellent fitting retention Ozone and UV light resistant Wide temperature range from -20° F to 165° F (-28.9° C to 73.9° C) Product Benefits Conforms to new government regulatory standards for clean air Reduces hydrocarbon vapors escaping or permeating into the atmosphere Protects public health and welfare Reduces photochemical smog Promotes cleaner air and reduces air pollution Greener and environmentally friendlier High abrasion, cut and tear resistance for longer service life Regulatory Information This product complies with EPA, CARB, and FDA criteria. Information provided by Saint Gobain Performance Products.

Order this product through the following link:

http://www.lookpolymers.com/polymer_Saint-Gobain-Tygon-LP-1100-Low-Permeation-Fuel-Tubing.php

Thermal Properties	Metric	English	Comments
Maximum Service Temperature, Air	73.9 °C	165 °F	
Minimum Service Temperature, Air	-28.9 °C	-20.0 °F	

Compliance Properties	Metric	English	Comments
FDA	Yes	Yes	

Descriptive Properties	Value	Comments
Color	Translucent Yellow	

Contact Songhan Plastic Technology Co.,Ltd.

Website : www.lookpolymers.com

Email : sales@lookpolymers.com

Tel : +86 021-51131842

Mobile : +86 13061808058

Skype : lookpolymers

Address : United North Road 215,Fengxian District, Shanghai City,China