

Shakespeare Sanstat® CN125 .28mm Nylon 66 Monofilament

Category : Polymer , Thermoplastic , Nylon , Nylon 66 , Nylon 66 Fiber

Material Notes:

Sanstat CN125 nylon 6,6 monofilaments have electrically conductive carbon suffused into the surface. The filaments have a carbon coating thickness of approximately 1 micron. Information provided by Shakespeare Company.

Order this product through the following link:

http://www.lookpolymers.com/polymer_Shakespeare-Sanstat-CN12528mm-Nylon-66-Monofilament.php

Physical Properties	Metric	English	Comments
Density	1.14 g/cc	0.0412 lb/in ³	Calculated from diameter of 0.28 mm and product yield of 14271 m/kg.
Fiber Count	700 dtex	630 denier	Per Filament

Mechanical Properties	Metric	English	Comments
Elongation at Break	34 %	34 %	
Tenacity	0.530 N/tex	6.00 g/denier	3.8 kg breaking load

Thermal Properties	Metric	English	Comments
Melting Point	254 °C	489 °F	
Shrinkage	4.00 % @Temperature 175 °C, Time 601 sec	4.00 % @Temperature 347 °F, Time 0.167 hour	

Electrical Properties	Metric	English	Comments
Electrical Resistivity	10000 ohm-cm	10000 ohm-cm	Average
	<= 15000 ohm-cm	<= 15000 ohm-cm	

Contact Songhan Plastic Technology Co.,Ltd.

Website : www.lookpolymers.com

Email : sales@lookpolymers.com

Tel : +86 021-51131842

Mobile : +86 13061808058

Skype : lookpolymers

Address : United North Road 215,Fengxian District, Shanghai City,China