Sharadaa Ceramics HA 60 High Alumina Brick

Category : Ceramic , Oxide , Aluminum Oxide

Material Notes:

Services Offered: Retrofitting of Furnace, Installation of Castables/Bricks/Ceramic Fiber Modules, Castable Laying by Vibrocasting/Guiniting, Turnkey Installation Boiler/Chimney/Heater/Reformer/Rotary Kiln, Heat Curing and Acid Proof Lining Industry Focuses: Steel, Sponge, Rolling Mills, Coke Oven, Ferrous Foundries, Non-Ferrous, Cement, Petro Chemical, Mineral Processing, Sugar / Paper Mills and Chemical PlantsInformation provided by Sharadaa Ceramics Pvt. Ltd.

Order this product through the following link:

http://www.lookpolymers.com/polymer_Sharadaa-Ceramics-HA-60-High-Alumina-Brick.php

Physical Properties	Metric	English	Comments
Bulk Density	2.50 g/cc	0.0903 lb/in³	
Porosity	22 - 24 %	22 - 24 %	

Mechanical Properties	Metric	English	Comments
Compressive Strength	29.4 - 39.2 MPa	4270 - 5690 psi	Cold Crushing

Thermal Properties	Metric	English	Comments
Maximum Service Temperature, Air	1460 °C	2660 °F	

Component Elements Properties	Metric	English	Comments	
AI203	60 %	60 %		
Fe2O3	2.5 - 3.0 %	2.5 - 3.0 %		

Descriptive Properties	Value	Comments
PCE Orton	34-35	
Permanent Linear Change	-3.0 - 3.0%	1600°C

Contact Songhan Plastic Technology Co.,Ltd.

Website : www.lookpolymers.com Email : sales@lookpolymers.com Tel : +86 021-51131842 Mobile : +86 13061808058 Skype : lookpolymers Address : United North Road 215,Fengxian District, Shanghai City,China