

## Shin-Etsu Silicones KE-961TU Silicone Elastomer

Category : Polymer , Thermoset , Rubber or Thermoset Elastomer (TSE) , Silicone , Silicone Rubber

**Material Notes:**

KE961 TU is one of a series of easy processing, general purpose silicone rubber bases. It can be used in a variety of applications requiring finishing by molding (compression, injection, transfer).Product Features: Rubber contacts.Food packing.Industrial packing.Diaphragms.Information Provided by Shin-Etsu Silicones of America, Inc.

Order this product through the following link:

[http://www.lookpolymers.com/polymer\\_Shin-Etsu-Silicones-KE-961TU-Silicone-Elastomer.php](http://www.lookpolymers.com/polymer_Shin-Etsu-Silicones-KE-961TU-Silicone-Elastomer.php)

Physical Properties	Metric	English	Comments
Specific Gravity	1.18 g/cc	1.18 g/cc	

Mechanical Properties	Metric	English	Comments
Hardness, Shore A	60	60	
Tensile Strength at Break	9.17 MPa	1330 psi	
Elongation at Break	320 %	320 %	
Tear Strength	9.82 kN/m	56.0 pli	Die B
Compression Set	10 % @Temperature 149 Â°C, Time 79200 sec	10 % @Temperature 300 Â°F, Time 22.0 hour	

Processing Properties	Metric	English	Comments
Cure Time	240 min @Temperature 200 Â°C	4.00 hour @Temperature 392 Â°F	Post

Descriptive Properties	Value	Comments
Cure Agent	DBPH	
Cure Type	Post Cure	

## Contact Songhan Plastic Technology Co.,Ltd.

Website : [www.lookpolymers.com](http://www.lookpolymers.com)Email : [sales@lookpolymers.com](mailto:sales@lookpolymers.com)

Tel : +86 021-51131842

Mobile : +86 13061808058

Skype : lookpolymers

Address : United North Road 215, Fengxian District, Shanghai City, China