

Shin-Etsu Silicones SV-15000U Silicone Rubber

Category : Polymer , Thermoset , Rubber or Thermoset Elastomer (TSE) , Silicone , Silicone Rubber

Material Notes:

SV15000U is one of a series of easy processing, no post cure silicone rubber bases. It can be used in a variety of applications requiring finishing by molding, extruding or calendering. Product Features: This product can be blended with other ShinEtsu general purpose or no post cure bases for intermediate properties. The choice between these bases will depend on specific requirements. This product can also be extended with filler. Typical Applications: Roll covers. Diaphragms. Information Provided by Shin-Etsu Silicones of America, Inc.

Order this product through the following link:

http://www.lookpolymers.com/polymer_Shin-Etsu-Silicones-SV-15000U-Silicone-Rubber.php

Physical Properties	Metric	English	Comments
Specific Gravity	1.13 g/cc	1.13 g/cc	

Mechanical Properties	Metric	English	Comments
Hardness, Shore A	51	51	
Tensile Strength at Break	9.163 MPa	1329 psi	
Elongation at Break	440 %	440 %	
100% Modulus	0.00139 GPa	0.201 ksi	
Tear Strength	15.4 kN/m	88.0 pli	Die B
Compression Set	9.0 % @Temperature 177 Â°C, Time 79200 sec	9.0 % @Temperature 351 Â°F, Time 22.0 hour	

Processing Properties	Metric	English	Comments
Cure Time	10.0 min	0.167 hour	
	240 min @Temperature 200 Â°C	4.00 hour @Temperature 392 Â°F	Post

Descriptive Properties	Value	Comments
Cure Agent	DBPH	
Cure Type	Press Cure	

Contact Songhan Plastic Technology Co.,Ltd.

Website : www.lookpolymers.com

Email : sales@lookpolymers.com

Tel : +86 021-51131842

Mobile : +86 13061808058

Skype : lookpolymers

Address : United North Road 215, Fengxian District, Shanghai City, China