

Silon Taborex TA 2111 HD Catalyst Masterbatch

Category : Other Engineering Material , Catalyst/Initiator

Material Notes:

Masterbatch for the use with SILON Silane crosslinkable PE-Xb Compounds TA 1108 HD, TA 1109 HD. TA 2111 HD contains the cross-linking catalyst to complete together with the above-mentioned graft a Sioplas System. In addition it carries a part of the long term stabilising system for the finished product and a special additive to protect the polymer from degradation caused by metal ions. Information provided by Silon

Order this product through the following link:

http://www.lookpolymers.com/polymer_Silon-Taborex-TA-2111-HD-Catalyst-Masterbatch.php

Physical Properties	Metric	English	Comments
Bulk Density	0.540 g/cc	0.0195 lb/in ³	
Density	0.960 g/cc	0.0347 lb/in ³	
Volatiles	>= 0.050 %	>= 0.050 %	
Melt Flow	8.9 g/10 min @Load 2.16 kg, Temperature 190 °C	8.9 g/10 min @Load 4.76 lb, Temperature 374 °F	
Storage Temperature	<= 25.0 °C	<= 77.0 °F	

Descriptive Properties	Value	Comments
Color	White, translucent	

Contact Songhan Plastic Technology Co.,Ltd.

Website : www.lookpolymers.com

Email : sales@lookpolymers.com

Tel : +86 021-51131842

Mobile : +86 13061808058

Skype : lookpolymers

Address : United North Road 215,Fengxian District, Shanghai City,China