

SolVin 367NF Polyvinyl Chloride Low Viscosity Paste

Category : Polymer , Thermoplastic , Vinyl (PVC) , PVC, Powder

Material Notes:

Made by microsuspension polymerization for plastisol preparation. MAIN APPLICATIONS Spread coating : - artificial leather compact layer - artificial leather foam layer - flooring foam layer - flooring impregnation layer - flooring backing foam - wall covering compact layer.

Molding and dipping. ADVANTAGES - High filler acceptance. - Not sticking over a wide temperature range on a pregelation drum. Information provided by SolVin.

Order this product through the following link:

http://www.lookpolymers.com/polymer_SolVin-367NF-Polyvinyl-Chloride-Low-Viscosity-Paste.php

| Physical Properties | Metric | English | Comments |
|--|-------------|-------------|--|
| Volatile Organic Compounds (VOC) Content | <= 0.30 g/l | <= 0.30 g/l | ISO 1269 |
| Particle Size | 125 Âµm | 125 Âµm | <0.2 g/kg greater than value; ISO 787-18 |
| Viscosity Measurement | 67 | 67 | K value; ISO 1628-2 |

Contact Songhan Plastic Technology Co.,Ltd.

Website : www.lookpolymers.com

Email : sales@lookpolymers.com

Tel : +86 021-51131842

Mobile : +86 13061808058

Skype : lookpolymers

Address : United North Road 215,Fengxian District, Shanghai City,China