

SolVin 557RB Copolymer of Vinyl Chloride and Vinyl Acetate

Category: Polymer, Thermoplastic, Vinyl (PVC), Polyvinyl Chloride - Polyvinyl Acetate Copolymer

Material Notes:

Made by suspension polymerization. APPLICATIONS Extrusion: sheets for vacuum-forming, for deformations of over 500 % Calendering: rigid sheets for deep thermoformingInformation provided by SolVin.

Order this product through the following link:

http://www.lookpolymers.com/polymer_SolVin-557RB-Copolymer-of-Vinyl-Chloride-and-Vinyl-Acetate.php

Physical Properties	Metric	English	Comments
Volatile Organic Compounds (VOC) Content	<= 0.30 g/l	<= 0.30 g/l	ISO 1269
Apparent Bulk Density	0.520 g/cc	0.0188 lb/in³	ISO 60
Particle Size	63 µm	63 µm	>70% greater than value; ISO 1624
Viscosity Test	80 cm³/g	80 cm³/g	Reduced viscosity, K value = 57; ISO 1628-2
Vinyl Acetate Content	11 %	11 %	Solvay Test

Contact Songhan Plastic Technology Co.,Ltd.

Website: www.lookpolymers.com Email: sales@lookpolymers.com

Tel: +86 021-51131842 Mobile: +86 13061808058

Skype: lookpolymers

Address: United North Road 215, Fengxian District, Shanghai City, China