

Solvay ALKAMULSÂ® OL 40 Surfactant

Category : Fluid , Other Engineering Material , Additive/Filler for Polymer

Material Notes:

Identification: POLYOXYETHYLENE SORBITOL HEXAOLEATECAS: 057171 56 9Solubility: Dispersible in water. Soluble in most polar and aromatic solvents.Available in: Asia Pacific, Europe, Latin America and North AmericaApplications: Emulsifier for paraffinic, naphthenic, vegetable and ester oils in water. Highly branched structure with a HLB of 10.2. Used in metal working fluids and water treatment applications.Information provided by Rhodia, Rhodia has been acquired by Solvay.

Order this product through the following link:

http://www.lookpolymers.com/polymer_Solvay-ALKAMULS-OL-40-Surfactant.php

Physical Properties	Metric	English	Comments
Density	1.00 g/cc	0.0361 lb/in ³	
Iodine Absorption Number	88 - 100	88 - 100	[g I ₂ /100 g]; RPG13

Thermal Properties	Metric	English	Comments
Pour Point	<= 0.000 Â°C	<= 32.0 Â°F	
Flash Point	>= 100 Â°C	>= 212 Â°F	

Chemical Properties	Metric	English	Comments
Total Acid Number	7.0 - 12	7.0 - 12	[mg KOH/g]; RPG03

Processing Properties	Metric	English	Comments
Moisture Content	<= 0.50 %	<= 0.50 %	RPG16
Shelf Life	24.0 Month	24.0 Month	

Descriptive Properties	Value	Comments
Appearance	Yellow oily liquid	
Composition	Active content	1
Ionic Charge	Nonionic	
Saponification number	90-105 mg KOH/g	RPG05

Contact Songhan Plastic Technology Co.,Ltd.

Website : www.lookpolymers.com

Email : sales@lookpolymers.com

Tel : +86 021-51131842

Mobile : +86 13061808058

Skype : lookpolymers

Address : United North Road 215,Fengxian District, Shanghai City,China