

Solvay Chemicals SOLKANE® 134a

Category : Fluid

Material Notes:

HFC SOLKANE 134a, a high purity gas liquefied under pressure, has a wide range of applications in the plastic foam sector (OCF,XPS, PU,PIR). CAS-No.: 811-97-2 / EC-No.: 212-377-0 / REACH Registration Number: 01-2119459374-33 Uses: Foaming agentsInformation provided by Solvay

Order this product through the following link:

http://www.lookpolymers.com/polymer_Solvay-Chemicals-SOLKANE-134a.php

Physical Properties	Metric	English	Comments
Molecular Weight	102 g/mol	102 g/mol	

Thermal Properties	Metric	English	Comments
Melting Point	-108 Â°C	-162 Â°F	
Boiling Point	-26.0 Â°C @Pressure 0.1013 MPa	-14.8 Â°F @Pressure 14.69 psi	

Descriptive Properties	Value	Comments
Appearance	compressed liquefied gas	
Color	colorless	
Composition	>99.5%	1,1,1,2 Tetrafluoroethane

Contact Songhan Plastic Technology Co.,Ltd.

Website : www.lookpolymers.com

Email : sales@lookpolymers.com

Tel : +86 021-51131842

Mobile : +86 13061808058

Skype : lookpolymers

Address : United North Road 215,Fengxian District, Shanghai City,China