

Solvay Chemicals SOLKANE® 410A

Category : Fluid

Material Notes:

HFC SOLKANE® 410A is a substitute for R22 and R13B1. It substitutes R22 in small air conditioning and transport refrigeration units as well as R13B1 for low temperature applications in temperature ranges from -70°C up to -40°C. Pentafluoroethane- CAS-No.: 354-33-6 / EC-No.: 206-557-8 / REACH Registration Number: 01-2119485636-25 and Difluoromethane- CAS-No.: 75-10-5 / EC-No.: 200-839-4 Uses: Refrigerant Information provided by Solvay

Order this product through the following link:

http://www.lookpolymers.com/polymer_Solvay-Chemicals-SOLKANE-410A.php

Thermal Properties	Metric	English	Comments
Melting Point	-103 °C	-153 °F	Pentafluoroethane
Boiling Point	-52.7 °C	-62.9 °F	

Descriptive Properties	Value	Comments
Appearance	compressed liquefied gas	
Color	colorless	
Composition	0.5	Pentafluoroethane
	0.5	Difluoromethane

Contact Songhan Plastic Technology Co.,Ltd.

Website : www.lookpolymers.com

Email : sales@lookpolymers.com

Tel : +86 021-51131842

Mobile : +86 13061808058

Skype : lookpolymers

Address : United North Road 215,Fengxian District, Shanghai City,China