Solvay GEROPON® HW 25 Surfactant

Category : Fluid , Other Engineering Material , Additive/Filler for Polymer

Material Notes:

Description: Ethoxylated carboxylates Emulsifier for metal working formulations with excellent dispersing power for calcium soaps. Avoids the formation of insoluble precipitates, and consequently improves the lubricant stability in hard water. Suitable for all water based Metal Working fluids ranging from synthetic and semi-synthetic lubricants to soluble oils.Identification: ALKYL POLYETHER CARBOXYLIC ACIDSolubility Soluble in water. Dispersible in oilsAvailable in: Asia Pacific, Europe, Latin America and North AmericaApplications: Anionic emulsifier for Metal Working Fluids and lime soap dispersant. GEROPON HW 25 can provide excellent hard water resistance to aqueous Metal Working Fluids.Information provided by Rhodia, Rhodia has been acquired by Solvay.

Order this product through the following link: http://www.lookpolymers.com/polymer_Solvay-GEROPON-HW-25-Surfactant.php

Physical Properties	Metric	English	Comments
Density	1.05 g/cc	0.0379 lb/in³	
Thermal Properties	Metric	English	Comments
Flash Point	>= 100 °C	>= 212 °F	
Optical Properties	Metric	English	Comments
Gardner Color Number	<= 5.0	<= 5.0	540MA3C1D
Chemical Properties	Metric	English	Comments
Total Acid Number	85 - 95	85 - 95	[mg KOH/g]; 540MA3C21
Processing Properties	Metric	English	Comments
Moisture Content	8.0 - 11.5 %	8.0 - 11.5 %	540MA3C1C
Shelf Life	12.0 Month	12.0 Month	

Descriptive Properties	Value	Comments	
Appearance	Pale yellow liquid		
Composition	Actives (100-%water-%NaCl)	>88%	
	NaCl	<1.2%, 540MA3C10	
Ionic Charge	Anionic		

Contact Songhan Plastic Technology Co.,Ltd.



Website : www.lookpolymers.com Email : sales@lookpolymers.com Tel : +86 021-51131842 Mobile : +86 13061808058 Skype : lookpolymers Address : United North Road 215,Fengxian District, Shanghai City,China