

Solvay Specialty Polymers Polymist® XPP 545 Polytetrafluoroethylene (PTFE)

Category: Polymer, Thermoplastic, Fluoropolymer, PTFE, PTFE Powder

Material Notes:

Polymist® XPP 545 is a white PTFE micronized powder composed of discrete particles. Designed for use in critical engineering and high end performance Coatings and Inks, Polymist® XPP 545 will improved non-stick properties and mar and abrasion resistance as well as slip and rub resistance. Main features are, Improved abrasion, scratch and rub resistance, Increased slip and surface lubricity, Reduced blocking, Better chemical resistance, Increased temperature resistance, Gloss retentionUses: AdditiveAdditional Properties: Bulk Density - ASTM D4895 450 g/l; Grind in Oil - NPIRI 5.00; Melt Temperature - ASTM D3418 320 to 330 °C; Particle Size - Internal Method 7.00 Âμm; Specific Surface Area - Internal Method 3.0 m²/gInformation provided by Solvay Specialty Polymers.

Order this product through the following link:

http://www.lookpolymers.com/polymer_Solvay-Specialty-Polymers-Polymist-XPP-545-Polytetrafluoroethylene-PTFE.php

Descriptive Properties	Value	Comments
Availability	Asia Pacific	
	Europe	
	North America	
Color	White	
Form	Powder	

Contact Songhan Plastic Technology Co.,Ltd.

Website: www.lookpolymers.com Email: sales@lookpolymers.com

Tel: +86 021-51131842 Mobile: +86 13061808058

Skype: lookpolymers

Address: United North Road 215, Fengxian District, Shanghai City, China