

Solvay Specialty Polymers Ryton® PR11 Polyphenylene Sulfide (PPS)

Category : Polymer , Thermoplastic , Polyphenylene Sulfide (PPS) , Polyphenylene Sulfide (PPS); Molded

Material Notes:

Ryton® Polyphenylene Sulfide (PPS) resins are available in several grades exhibiting different molecular weights and molecular architecture. Ryton® PPS exhibits excellent thermal stability and chemical resistance and is suitable for a variety of applications including coatings, compounds, and extrusion. Features: Good Chemical Resistance; Good Thermal Stability. Uses: Coating Applications; Compounding. Additional Properties: Ash Content - 0.8 wt%. Information provided by Solvay Specialty Polymers.

Order this product through the following link:

http://www.lookpolymers.com/polymer_Solvay-Specialty-Polymers-Ryton-PR11-Polyphenylene-Sulfide-PPS.php

Physical Properties	Metric	English	Comments
Melt Flow	5000 g/10 min @Load 5.00 kg, Temperature 315 °C	5000 g/10 min @Load 11.0 lb, Temperature 599 °F	Procedure B; ASTM D1238

Descriptive Properties	Value	Comments
Availability	Asia Pacific Europe Latin America North America	
Color	Off-White	
Form	Powder	
Processing Technique	Coating; Compounding; Extrusion; Extrusion Coating	
RoHS Compliance	RoHS Compliant	

Contact Songhan Plastic Technology Co.,Ltd.

Website : www.lookpolymers.com

Email : sales@lookpolymers.com

Tel : +86 021-51131842

Mobile : +86 13061808058

Skype : lookpolymers

Address : United North Road 215, Fengxian District, Shanghai City, China