

Solvay Specialty Polymers Tecnoflon® FOR TF Fluoroelastomer

Category: Polymer, Thermoset, Fluoropolymer, TS, Thermoset Fluoroelastomer, Rubber or Thermoset Elastomer (TSE)

Material Notes:

TECNOFLON® FOR TF is a high viscosity cure incorporated fluoroelastomer terpolymer (FKM) with 68% fluorine content. Tecnoflon® FOR TF is well suited for applications requiring better chemical resistance and/or long term heat resistance compared to fluoroelastomer copolymers. Features: Good Chemical Resistance; Good Flow; Good Heat Aging Resistance; Good Mold Release; Good Processability; High Viscosity; Low Compression Set; TerpolymerUses: Belts/Belt Repair; Blending; Gaskets; Hose; Profiles; Seals; SheetAdditional Properties: Fluorine Content - 68 %Information provided by Solvay Specialty Polymers.

Order this product through the following link:

http://www.lookpolymers.com/polymer_Solvay-Specialty-Polymers-Tecnoflon-FOR-TF-Fluoroelastomer.php

Physical Properties	Metric	English	Comments
Mooney Viscosity	57	57	ML 1+10; ASTM D1646
	@Temperature 121 °C	@Temperature 250 °F	

Descriptive Properties	Value	Comments
Additive	Processing Aid	
Availability	Europe; North America	
Color	Off-White	
Form	Slab	
Processing Technique	Calendering; Compounding; Compression Molding	
	Extrusion; Resin Transfer Molding	

Contact Songhan Plastic Technology Co.,Ltd.

Website: www.lookpolymers.com Email: sales@lookpolymers.com

Tel: +86 021-51131842 Mobile: +86 13061808058

Skype: lookpolymers

Address: United North Road 215, Fengxian District, Shanghai City, China