

Solvay Specialty Polymers Virantage® VW-10200 RP, RFP, RSFP Polyethersulfone (PESU)

Category : Polymer , Thermoplastic , Polyethersulfone (PES)

Material Notes:

Virantage® VW-series functionalized polyethersulfones (r-PESU) are amorphous, high-temperature sulfone polymers featuring reactive end groups to enhance solubility and improve interfacial properties in epoxy thermosets. Their inherent toughness imparts damage tolerance to thermoset composites and excellent flexibility to coatings. Virantage® polymers also offer superior thermal and hydrolytic stability that delivers best-in-class hot-wet performance. Features: Amorphous; Good Thermal Stability; Good Toughness; High Heat Resistance; High Molecular Weight; High Viscosity; Hydrolytically Stable Uses: Aerospace Applications Additional Properties: Average Molecular Weight - Internal Method 46500 g/mol; Moisture - Internal Method 1.5 %; OH End Groups - Internal Method 75 µeq/g; Particle Size - 63.0 µm; Particle Size - 500 µm; Particle Size - 38.0 µm; Residual Solvent - Internal Method 0.15 % Information provided by Solvay Specialty Polymers.

Order this product through the following link:

http://www.lookpolymers.com/polymer_Solvay-Specialty-Polymers-Virantage-VW-10200-RP-RFP-RSFP-Polyethersulfone-PESU.php

Physical Properties	Metric	English	Comments
Viscosity	800 cP	800 cP	Solution Viscosity; ASTM D455

Thermal Properties	Metric	English	Comments
Glass Transition Temp, Tg	220 °C	428 °F	ASTM E1356

Descriptive Properties	Value	Comments
Availability	Africa & Middle East	
	Asia Pacific	
	Europe	
	Latin America	
	North America	
Form	Pellets	
Processing Technique	Coating; Compounding	

Contact Songhan Plastic Technology Co.,Ltd.

Website : www.lookpolymers.com

Email : sales@lookpolymers.com

Tel : +86 021-51131842

Mobile : +86 13061808058

Skype : lookpolymers

Address : United North Road 215, Fengxian District, Shanghai City, China