

Struktol PE(H)-100 Dispersion and Compounding Additive

Category: Other Engineering Material, Additive/Filler for Polymer, Polymer

Material Notes:

Homopolymer, non-oxidized polyethylene wax.STRUKTOL® PE(H)-100 is a versatile polyethylene wax (homopolymer) used in natural and synthetic elastomers. It is used to improve flow and processability. STRUKTOL® PE(H)-100 also provides good release from equipment with improved pigment dispersion and finish to molded articles.FDA Status: 175.105; 175.125; 175.300; 176.180; 176.200; 176.210; 177.1200; 177.1210; 177.2600; 178.3570; 178.3850

Order this product through the following link:

http://www.lookpolymers.com/polymer_Struktol-PEH-100-Dispersion-and-Compounding-Additive.php

Physical Properties	Metric	English	Comments
Specific Gravity	0.910 g/cc	0.910 g/cc	
Additive Loading	1.0 - 4.0 %	1.0 - 4.0 %	Will not alter the properties of vulcanizates

Thermal Properties	Metric	English	Comments
Dropping Point	90.0 - 105 °C	194 - 221 °F	

Processing Properties	Metric	English	Comments
Shelf Life	>= 24.0 Month	>= 24.0 Month	

Descriptive Properties	Value	Comments
Appearance	White waxy beads	

Contact Songhan Plastic Technology Co.,Ltd.

Website: www.lookpolymers.com Email: sales@lookpolymers.com

Tel: +86 021-51131842 Mobile: +86 13061808058 Skype: lookpolymers

Address: United North Road 215, Fengxian District, Shanghai City, China