

## Struktol POLYDIS 3611 Elastomer modified epoxy prepolymer

Category : Other Engineering Material , Additive/Filler for Polymer , Polymer , Thermoset , Epoxy

### Material Notes:

Applications: STRUKTOL VP 3611 is used where conventional epoxy systems and prepolymers are unable to satisfy the demands of for example impact, flexural and peel strength. Information provided by Struktol

Order this product through the following link:

[http://www.lookpolymers.com/polymer\\_Struktol-POLYDIS-3611-Elastomer-modified-epoxy-prepolymer.php](http://www.lookpolymers.com/polymer_Struktol-POLYDIS-3611-Elastomer-modified-epoxy-prepolymer.php)

Physical Properties	Metric	English	Comments
Viscosity	4.00e+6 cP @Temperature 25.0 Â°C	4.00e+6 cP @Temperature 77.0 Â°F	Dynamic

Chemical Properties	Metric	English	Comments
Acid Value	<= 1.0	<= 1.0	

Processing Properties	Metric	English	Comments
Shelf Life	>= 3.00 Month	>= 3.00 Month	in original sealed containers at temperatures less than 30Â°C

Descriptive Properties	Value	Comments
Appearance	Amber, resin paste	
Elastomer Content %	40 NBR	
Epoxy Equivalent Weight (g/Eq)	560	
Resin-base of the prepolymer	DGEBF	

## Contact Songhan Plastic Technology Co.,Ltd.

Website : [www.lookpolymers.com](http://www.lookpolymers.com)

Email : [sales@lookpolymers.com](mailto:sales@lookpolymers.com)

Tel : +86 021-51131842

Mobile : +86 13061808058

Skype : lookpolymers

Address : United North Road 215,Fengxian District, Shanghai City,China