

## Teknor Apex Sinpolene MBB1732 Low Density Polyethylene

Category : Polymer , Thermoplastic , Polyethylene (PE) , LDPE

### Material Notes:

Availability: Africa & Middle East; Latin America; Asia Pacific; South America Additive: Carbon Black (400000 ppm) Features: Good UV Resistance Uses: Film Forms: Pellets Processing Method: Blow Molding; Blown Film; Extrusion Additional Information: Recommended Dosage: 2.5-5.0% Information Provided by Teknor Apex

Order this product through the following link:

[http://www.lookpolymers.com/polymer\\_Teknor-Apex-Sinpolene-MBB1732-Low-Density-Polyethylene.php](http://www.lookpolymers.com/polymer_Teknor-Apex-Sinpolene-MBB1732-Low-Density-Polyethylene.php)

Physical Properties	Metric	English	Comments
Melt Flow	25.0 g/10 min @Load 21.6 kg, Temperature 190 Å°C	25.0 g/10 min @Load 47.6 lb, Temperature 374 Å°F	ASTM D1238

Descriptive Properties	Value	Comments
Appearance	Black	

## Contact Songhan Plastic Technology Co.,Ltd.

Website : [www.lookpolymers.com](http://www.lookpolymers.com)

Email : [sales@lookpolymers.com](mailto:sales@lookpolymers.com)

Tel : +86 021-51131842

Mobile : +86 13061808058

Skype : lookpolymers

Address : United North Road 215,Fengxian District, Shanghai City,China