

Trelleborg Emerson & Cuming Eccobond® 91 Two-Component High Strength-Peel Epoxy Adhesive

Category : Polymer , Adhesive , Thermoset , Epoxy , Epoxy Adhesive

Material Notes:

Emerson & Cuming 91 Eccobond® Two-Component High Strength-Peel Epoxy Adhesive Fiberglass filled, medium viscosity, epoxy adhesive with excellent thermal cycling properties. Used with a variety of catalysts. Designed for bonding metals exposed to high stress conditions and for bonding crystals to metals in continuous vibration applications. Mix ratio varies with amount of catalyst used. Bonding Type: Epoxy

Order this product through the following link:

http://www.lookpolymers.com/polymer_Trelleborg-Emerson-Cuming-Eccobond-91-Two-Component-High-Strength-Peel-Epoxy-Adhesive.php

Physical Properties	Metric	English	Comments
Density	1.57 g/cc	0.0567 lb/in ³	
Viscosity	98000 cP @Temperature 25.0 °C	98000 cP @Temperature 77.0 °F	Mixed

Mechanical Properties	Metric	English	Comments
Adhesive Bond Strength	24.1 MPa	3500 psi	

Descriptive Properties	Value	Comments
Color	Black	

Contact Songhan Plastic Technology Co.,Ltd.

Website : www.lookpolymers.com

Email : sales@lookpolymers.com

Tel : +86 021-51131842

Mobile : +86 13061808058

Skype : lookpolymers

Address : United North Road 215,Fengxian District, Shanghai City,China