Unipetrol C9 Fraction Redistillated

Category : Fluid , Solvent

Material Notes:

C9 fraction redistillated (RC9) is a distillation cut of pyrolysis gasoline, produced as a by-product during manufacture of ethylene. It is a transparent, colourless to yellowish liquid with prevailing content of aromatic hydrocarbons. RC9 is classified according to EC Directives as a hazardous substance. RC9 is used as a component for manufacture of engine fuels or as a raw material for chemical aftertreatment.Information provided by Unipetrol RPA

Order this product through the following link:

http://www.lookpolymers.com/polymer_Unipetrol-C9-Fraction-Redistillated.php

Physical Properties	Metric	English	Comments
Density	0.905 g/cc	0.0327 lb/in ³	EN ISO 12185
	@Temperature 20.0 °C	@Temperature 68.0 °F	
	0.908 g/cc	0.0328 lb/in ³	EN ISO 12185
	@Temperature 15.0 °C	@Temperature 59.0 °F	

Thermal Properties	Metric	English	Comments
Distillation Temperature	<= 165 °C	<= 329 °F	0.5
	<= 185 °C	<= 365 °F	0.9
	<= 195 °C	<= 383 °F	0.95
	<= 215 °C	<= 419 °F	FBP

Optical Properties	Metric	English	Comments
Transmission, Visible	90 %	90 %	transparent; thickness not quantified

Descriptive Properties	Value	Comments
Bromine Number, max	20	
Composition	< 0.1	
	0.005	
Material	Benzene Content	
	Inhibitor	
Octane Number MON, min	87	
Octane Number RON, min	100	



Descriptive Properties

Value

Comments

Contact Songhan Plastic Technology Co.,Ltd. Website : www.lookpolymers.com

Email : sales@lookpolymers.com

Tel : +86 021-51131842

Mobile : +86 13061808058

Skype : lookpolymers

Address : United North Road 215, Fengxian District, Shanghai City, China