

## Unipetrol PP MONSTEN® MA 350 Polypropylene Homopolymer

Category : Polymer , Thermoplastic , Polypropylene (PP)

**Material Notes:**

Applications include injection molding. Antistatic stabilization. Homopolymer. Information provided by Unipetrol RPA

Order this product through the following link:

[http://www.lookpolymers.com/polymer\\_Unipetrol-PP-MONSTEN-MA-350-Polypropylene-Homopolymer.php](http://www.lookpolymers.com/polymer_Unipetrol-PP-MONSTEN-MA-350-Polypropylene-Homopolymer.php)

Physical Properties	Metric	English	Comments
Melt Flow	50 g/10 min @Load 2.16 kg, Temperature 230 °C	50 g/10 min @Load 4.76 lb, Temperature 446 °F	ISO 1133

Mechanical Properties	Metric	English	Comments
Tensile Strength, Yield	34.0 MPa	4930 psi	ISO 527
Elongation at Break	>= 100 %	>= 100 %	ISO 527
Flexural Modulus	1.45 GPa	210 ksi	ISO 178
Charpy Impact, Notched	0.250 J/cm <sup>2</sup> @Temperature 23.0 °C	1.19 ft-lb/in <sup>2</sup> @Temperature 73.4 °F	ISO 179

Thermal Properties	Metric	English	Comments
Deflection Temperature at 1.8 MPa (264 psi)	54.0 °C	129 °F	ISO 75
Vicat Softening Point	155 °C	311 °F	ISO 306

### Contact Songhan Plastic Technology Co.,Ltd.

Website : www.lookpolymers.com

Email : sales@lookpolymers.com

Tel : +86 021-51131842

Mobile : +86 13061808058

Skype : lookpolymers

Address : United North Road 215,Fengxian District, Shanghai City,China