

Unipetrol SH Sorbent Chezacarb

Category : Carbon , Carbon Black

Material Notes:

Sorbent Chezacarb is made in two sorts: S and SH. Both sorts are produced by modification of high-conductive carbon black Chezacarb, sort B. Sorbent Chezacarb S is determined for petroleum crash liquidation, e.g. for removal of free hydrocarbons and their derivatives from water or solid surface. Sorbent Chezacarb SH is determined for sorption and discolouring processes in aqueous solutions. Product is not classified as dangerous according to EC Directives. Information provided by Unipetrol RPA

Order this product through the following link:

http://www.lookpolymers.com/polymer_Unipetrol-SH-Sorbent-Chezacarb.php

Physical Properties	Metric	English	Comments
Bulk Density	<= 0.160 g/cc	<= 0.00578 lb/in ³	
pH	6.5 - 9.0	6.5 - 9.0	
Iodine Absorption Number	950 - 1200	950 - 1200	mg/g
Ash	<= 1.5 %	<= 1.5 %	

Component Elements Properties	Metric	English	Comments
Iron, Fe	<= 0.30 %	<= 0.30 %	
Nickel, Ni	<= 0.40 %	<= 0.40 %	
Vanadium, V	<= 0.20 %	<= 0.20 %	

Descriptive Properties	Value	Comments
DBP Absorption (ml/100g)	370-450	

Contact Songhan Plastic Technology Co.,Ltd.

Website : www.lookpolymers.com

Email : sales@lookpolymers.com

Tel : +86 021-51131842

Mobile : +86 13061808058

Skype : lookpolymers

Address : United North Road 215, Fengxian District, Shanghai City, China