

Universal Wire Works A286VM (AMS 5805) Filler Metal

Category: Metal, Ferrous Metal, Stainless Steel, Superalloy, Iron Base

Material Notes:

The same alloy as A286, with the exception of being vacuum melted. Primarily used to inert-gas-arc weld base metals of similar composition requiring joints with strength, corrosion and heat resistance comparable to those of the base metal. Information provided by Universal Wire Works for their line of welding wire and filler metal.

Order this product through the following link:

http://www.lookpolymers.com/polymer_Universal-Wire-Works-A286VM-AMS-5805-Filler-Metal.php

Component Elements Properties	Metric	English	Comments
Boron, B	0.0060 %	0.0060 %	
Chromium, Cr	15 %	15 %	
Iron, Fe	>= 55.7 %	>= 55.7 %	As Remainder
Molybdenum, Mo	1.3 %	1.3 %	
Nickel, Ni	25.5 %	25.5 %	
Titanium, Ti	2.2 %	2.2 %	
Vanadium, V	0.30 %	0.30 %	

Contact Songhan Plastic Technology Co.,Ltd.

Website: www.lookpolymers.com Email: sales@lookpolymers.com

Tel: +86 021-51131842 Mobile: +86 13061808058 Skype: lookpolymers

Address: United North Road 215, Fengxian District, Shanghai City, China