

## **World Minerals Celite® Super Floss® A Diatomaceous Earth Antiblock Additive**

Category: Ceramic, Oxide, Silicon Oxide, Other Engineering Material, Additive/Filler for Polymer

## **Material Notes:**

Used as an antiblocking additive for polyethylene films. Exhibits minimal interactions with other additives in most LDPE and LLDPE resin systems. Antiblocking is accomplished via the varied particle shapes of diatomite particles that protrude from, or are at the surface of, the polyethylene film. The amount of Celite® antiblock required is generally in the 0.2% to 0.5% range.

## Order this product through the following link:

http://www.lookpolymers.com/polymer\_World-Minerals-Celite-Super-Floss-A-Diatomaceous-Earth-Antiblock-Additive.php

Physical Properties	Metric	English	Comments
Specific Gravity	2.30 g/cc	2.30 g/cc	
Brightness	88 %	88 %	Blue Light
Particle Size	11.8 μm	11.8 µm	Median

Optical Properties	Metric	English	Comments
Refractive Index	1.48	1.48	

Component Elements Properties	Metric	English	Comments
Al203	1.7 %	1.7 %	
CaO	0.80 %	0.80 %	
Fe2O3	1.0 %	1.0 %	
K20+Na20	2.8 %	2.8 %	
MgO	0.10 %	0.10 %	
SiO2	92 %	92 %	

Processing Properties	Metric	English	Comments
Moisture Content	<= 0.50 %	<= 0.50 %	As Shipped

Descriptive Properties	Value	Comments
Hunter b Color Value	3	Dry
	8.7	Wet

## **Contact Songhan Plastic Technology Co.,Ltd.**



Website: www.lookpolymers.com Email: sales@lookpolymers.com

Tel: +86 021-51131842 Mobile: +86 13061808058

Skype: lookpolymers

Address: United North Road 215, Fengxian District, Shanghai City, China