

A. Schulman PAPERMATCH® T-4228-50 Specialty Masterbatch

Category : Other Engineering Material , Additive/Filler for Polymer , Polymer , Thermoplastic , Polyethylene (PE) , HDPE

Material Notes:

Description PAPERMATCH® T-4228/50 is a specialty masterbatch formulated to impart paper-like properties to HDPE films.

PAPERMATCH® T-4228/50 is a white, medium opacity grade designed to provide a smooth surface finish. PAPERMATCH® T-4228/50 is typically recommended for use at 50% addition levels in HDPE blown film. Information provided by A. Schulman.

Order this product through the following link:

http://www.lookpolymers.com/polymer_A-Schulman-PAPERMATCH-T-4228-50-Specialty-Masterbatch.php

Physical Properties	Metric	English	Comments
Specific Gravity	1.72 g/cc	1.72 g/cc	ASTM D792
Melt Flow	8.0 g/10 min @Load 2.16 kg, Temperature 190 °C	8.0 g/10 min @Load 4.76 lb, Temperature 374 °F	ASTM D1238
Ash	65.5 %	65.5 %	ASTM D2765

Descriptive Properties	Value	Comments
Moisture (max)	800	ppm, ASTM D789 @ 190°C
Pellet Count	35	pellets/gram

Contact Songhan Plastic Technology Co.,Ltd.

Website : www.lookpolymers.com

Email : sales@lookpolymers.com

Tel : +86 021-51131842

Mobile : +86 13061808058

Skype : lookpolymers

Address : United North Road 215, Fengxian District, Shanghai City, China